

Contributions to **Mineralogy and Petrology**

Volume 89 1985

Executive Editors: **I.S.E. Carmichael J. Hoefs**

Editorial Board:

R. Binns	North Ryde, Australia
H.P. Eugster	Baltimore, Maryland
T. Grove	Cambridge, Massachusetts
I. Parsons	Aberdeen, Scotland
Z.E. Peterman	Lakewood, Colorado
W. Schreyer	Bochum-Querenburg, F.R.G.
J. Touret	Amsterdam, The Netherlands
V. Trommsdorff	Zürich, Switzerland
K.H. Wedepohl	Göttingen, F.R.G.



Springer International

Contributions to Mineralogy and Petrology

Founded in 1947 by O.H. Erdmannsdörffer. Volume 1 (1949) edited by O.H. Erdmannsdörffer as "Heidelberger Beiträge zur Mineralogie und Petrographie". Continued from Volume 6 (1957) as "Beiträge zur Mineralogie und Petrographie", edited by C.W. Correns. From Volume 12 (1966) to Volume 40 (1973) published as "Contributions to Mineralogy and Petrology/Beiträge zur Mineralogie und Petrologie", edited by C.W. Correns. Beginning with Volume 41 (1973) "Contributions to Mineralogy and Petrology". As of Volume 43 (1974) edited by C.W. Correns and I.S.E. Carmichael. As of Volume 74 (1980) edited by I.S.E. Carmichael and J. Hoefs.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the (publisher society); and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US \$0.20 per page, or a minimum of US \$1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0010-7999, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Other regulations. Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors resident in the Federal Republic of Germany or in West Berlin can apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printers: Universitätsdruckerei H. Stürtz AG Würzburg

© Springer-Verlag GmbH & Co. KG Berlin Heidelberg 1985
Printed in Germany

Contents

Subject-Index V

List of Locations VIII

- Albrecht, J.: Manganiferous pyroxenes and pyroxenoids from three Pb—Zn—Cu skarn deposits 379–393
- Auvray, B., s. Clauer, N., et al. 81–89
- Baltatzis, E., s. Yardley, B.W.D. 59–68
- Baxter, A.N., Upton, B.G.J., White, W.M.: Petrology and geochemistry of Rodrigues Island, Indian Ocean 90–101
- Berman, R.G., Brown, T.H.: Heat capacity of minerals in the system: $\text{Na}_2\text{O}—\text{K}_2\text{O}—\text{CaO}—\text{MgO}—\text{FeO}—\text{Fe}_2\text{O}_3—\text{Al}_2\text{O}_3—\text{SiO}_2—\text{TiO}_2—\text{H}_2\text{O}—\text{CO}_2$: representation, estimation, and high temperature extrapolation 168–183
- Bhattacharya, A., Sen, S.K.: Energetics of hydration of cordierite and water barometry in cordierite-granulites 370–378
- Binsted, N., Greaves, G.N., Henderson, C.M.B.: An EXAFS study of glassy and crystalline phases of compositions $\text{CaAl}_2\text{Si}_2\text{O}_8$ (anorthite) and $\text{CaMgSi}_2\text{O}_6$ (diopside) 103–109
- Brown, P.E., Essene, E.J.: Activity variations attending tungsten skarn formation, Pine Creek, California 358–369
- Brown, T.H., s. Berman, R.G. 168–183
- Brown, W.L., s. Macaudière, J., et al. 39–51
- Cameron, W.E.: Petrology and origin of primitive lavas from the Troodos ophiolite, Cyprus 239–255
- Chatterjee, N.D., Terhart, L.: Thermodynamic calculation of peridotite phase relations in the system $\text{MgO}—\text{Al}_2\text{O}_3—\text{SiO}_2—\text{Cr}_2\text{O}_3$, with some geological applications 273–284
- Chipera, S.J., s. Perkins, D. III 69–80
- Chivas, A.R., s. Hendry, D.A.F., et al. 317–329
- Clauer, N., Vidal, P., Auvray, B.: Differential behaviour of the Rb—Sr and K—Ar systems of spililitic flows and interbedded metasediments: the spilite group of Erquy (Brittany, France). Paleomagnetic implications 81–89
- Clocchiatti, R., Massare, D.: Experimental crystal growth in glass inclusions: the possibilities and limits of the method 193–204
- Cunningham, G.C., s. Henderson, P., et al. 263–272
- Dempster, T.J.: Garnet zoning and metamorphism of the Barrovian Type Area, Scotland 30–38
- Essene, E.J., s. Brown, P.E. 358–369
- Fourcade, S., Javoy, M.: Preliminary investigations of $^{18}\text{O}/^{16}\text{O}$ and D/H compositions in rhyo-ignimbrites in the Inhihaou (In Zize) Magmatic Center, central Ahaggar, Algeria 285–295
- Francis, D.: The Baffin Bay lavas and the value of picrites as analogues of primary magmas 144–154
- Frey, F.A., s. Price, R.C., et al. 394–409
- Gasparik, T.: Experimental study of subsolidus phase relations and mixing properties of pyroxene and plagioclase in the system $\text{Na}_2\text{O}—\text{CaO}—\text{Al}_2\text{O}_3—\text{SiO}_2$ 346–357
- Gray, C.M., s. Price, R.C., et al. 394–409
- Greaves, G.N., s. Binsted, N., et al. 103–109
- Halliday, A.N., s. Stephens, W.E., et al. 226–238
- Henderson, C.M.B., s. Binsted, N., et al. 103–109
- Henderson, P., Nolan, J., Cunningham, G.C., Lowry, R.: Structural controls and mechanisms of diffusion in natural silicate melts 263–272
- Hendry, D.A.F., Chivas, A.R., Long, J.V.P., Reed, S.J.B.: Chemical differences between minerals from mineralizing and barren intrusions from some North American porphyry copper deposits 317–329
- Höisch, T.D.: The solid solution chemistry of vesuvianite 205–214
- Ishiwatari, A.: Igneous Petrogenesis of the Yakuno Ophiolite (Japan) in the context of the diversity of ophiolites 155–167
- Javoy, M., s. Fourcade, S. 285–295
- Johnson, R.W., s. Price, R.C., et al. 394–409
- Kalsbeek, F., Taylor, P.N.: Age and origin of early Proterozoic dolerite dykes in South-West Greenland 307–316
- Kouchi, A., Sunagawa, I.: A model for mixing basaltic and dacitic magmas as deduced from experimental data 17–23
- Long, J.V.P., s. Hendry, D.A.F., et al. 317–329
- Lowry, R., s. Henderson, P., et al. 263–272
- Macaudière, J., Brown, W.L., Ohnenstetter, D.: Microcrystalline textures resulting from rapid crystallization in a pseudotachylite melt in a meta-anorthosite 39–51
- Massare, D., s. Clocchiatti, R. 193–204
- Matthews, A.: Kinetics and mechanisms of the reaction of zoisite to anorthite under hydrothermal conditions: reaction phenomenology away from the equilibrium region 110–121
- McKinstry, B.W., s. Skippen, G. 256–262
- Mertes, H., Schmincke, H.-U.: Mafic potassic lavas of the Quaternary West Eifel volcanic field I. Major and trace elements 330–345
- Mora, C.I., Valley, J.W.: Ternary feldspar thermometry in granulites from the Oaxacan Complex, Mexico 215–225
- Nolan, J., s. Henderson, P., et al. 263–272
- Ohnenstetter, D., s. Macaudière, J., et al. 39–51
- Perkins, D. III, Chipera, S.J.: Garnet-orthopyroxene-plagioclase-quartz barometry: refinement and application to the English River subprovince and the Minnesota River valley 69–80
- Price, R.C., Johnson, R.W., Gray, C.M., Frey, F.A.: Geochemistry of phonolites and trachytes from the summit region of Mt. Kenya 394–409
- Reed, S.J.B., s. Hendry, D.A.F., et al. 317–329
- Schmincke, H.-U., s. Mertes, H. 330–345
- Sen, S.K., s. Bhattacharya, A. 370–378
- Skippen, G., McKinstry, B.W.: Synthetic and natural tremolite in equilibrium with forsterite, enstatite, diopside and fluid 256–262
- Skippen, G., s. Trommsdorff, V., et al. 24–29
- Stephens, W.E., Whitley, J.E., Thirlwall, M.F., Halliday, A.N.: The Criffell zoned pluton: correlated behaviour of rare earth element abundances with isotopic systems 226–238
- Stille, P., Tatsumoto, M.: Precambrian tholeiitic-dacitic rock-suites and Cambrian ultramafic rocks in the Pennine nappe system of the Alps: Evidence from Sm—Nd isotopes and rare earth elements 184–192
- Stöckhert, B.: Compositional control on the polymorphism (2M₁–3T) of phengitic white mica from high pressure parageneses of the Sesia Zone (lower Aosta valley, Western Alps; Italy) 52–58
- Sunagawa, I., s. Kouchi, A. 17–23
- Tatsumoto, M., s. Stille, P. 184–192
- Taylor, P.N., s. Kalsbeek, F. 307–316
- Terhart, L., s. Chatterjee, N.D. 273–284
- Thirlwall, M.F., s. Stephens, W.E., et al. 226–238
- Trommsdorff, V., Skippen, G., Ulmer, P.: Halite and sylvite as solid inclusions in high-grade metamorphic rocks 24–29
- Tschiyama, A.: Dissolution kinetics of plagioclase in the melt of the system diopside-albite-anorthite, and origin of dusty plagioclase in andesites 1–16
- Ulmer, P., s. Trommsdorff, V., et al. 24–29
- Upton, B.G.J., s. Baxter, A.N., et al. 90–101
- Valley, J.W., s. Mora, C.I. 215–225
- Vidal, P., s. Clauer, N., et al. 81–89
- Wedepohl, K.H.: Origin of the Tertiary basaltic volcanism in the northern Hessian Depression 122–143
- White, W.M., s. Baxter, A.N., et al. 90–101
- Whitley, J.E., s. Stephens, W.E., et al. 226–238
- Yardley, B.W.D., Baltatzis, E.: Retrogression of staurolite schists and the sources of infiltrating fluids during metamorphism 59–68
- Zaleski, E.: Regional and contact metamorphism within the Moy Intrusive Complex, Grampian Highlands, Scotland 293–306

Indexed in Current Contents/

Abstracted in Mineralogical Abstracts

Subject Index

- Actinolite 185
 -, porphyry copper deposits 324
 activity calculations 359 f.
 activity determinations, granulite barometry 70 f.
 activity variations, skarns 358 ff.
 aegirine, phonolites 395
 aenigmatite, phonolites 395
 alaskite 299
 albite, spilites 81
 alkali feldspar, basalts 125
 -, Oaxacan complex, plagioclase coexistence 217 ff.
 -, phonolites 395
 alkali olivine basalt 124 ff.
 -, origin 134 f.
 almandine, granulite barometry 69 f.
 Al₂O₃ activities, Pine Creek skarns 362 f.
 alteration, Troodos lavas 244 f., 249
 amphibole 185 f.
 -, dolerite dykes 308
 -, porphyry copper deposits, Cu cont. 319 f.
 amphibolite 156
 -, origin 184 f.
 andalusite, contact metamorphic 303
 andesine 125
 andesite 216 f.
 -, melt composition 264
 andesite porphyry, Christmas Mine 322
 andradite, skarns 380 f., 385
 anorthite, addition to melts 20
 -, Ca-environment, EXAFS-spectroscopy 103 f.
 -, zoisite dehydration 110 f.
 anorthoclase, kenytes 395
 anorthosite 216 f.
 apatite, basalts 125
 -, dolerite dykes 309
 Arrhenius equation, kinetics of surface reactions 110
 assimilation, Criffell Pluton 229, 235
 -, plagioclase 15
 augite 243
 -, dolerite dykes 308 f.
 -, Mt. Kenya suite 396
 -, teschenites 90 f.
- Bagnold effect, clast distribution in veins 41
 banded amphibolites, Simplan area, rare earth elements 187
 basalt, melt composition 264
 -, Mt. Kenya 395
 -, ophiolites 156 f.
 -, Rodrigues 90 f.
 basaltic magmas, origin and genesis 122 ff.
 basaltic volcanism, Cainozoic, Central Europe 124
 basanite, Eifel 331
 biotite 216, 300 f.
 -, dolerite dykes 309
 -, porphyry copper deposits, Cu contents 319 f., 324 f.
 -, zoning 30
 boninite, chemical comparison with Troodos lavas 251
 bustamite, skarns 380 f.
- bytownite phenocrysts, glass inclusions, experim. crystal growth 193 f.
- Calcite 24
 -, skarns 381
 calibration, geobarometers 72 f.
 CaO activities, Pine Creek skarns 361 f.
 Ca sites, anorthite and diopside glass 103 f.
 cataclasite, pseudotachylite association 41
 cation diffusion, garnets, temperature-time-transformation 36
 charnockites 216
 chemical analysis
 -, aenigmatites, Mt. Kenya suite 398
 -, alkali feldspar, coex. with plagioclase, Oaxaca 218
 -, amphiboles, Mt. Kenya suite 399
 -, Troodos lavas 244
 -, basalts, Hessian Depression 126
 -, Rodrigues 93
 -, Yakuno ophiolites 157
 -, spinels 156
 -, biotite, Moy Complex 300
 -, bustamites, skarns 386
 -, bytownite megacrysts, Ardoukoba 194
 -, glass inclusions 195
 -, clinopyroxenes, Oaxaca 221
 -, skarn deposits 384
 -, Troodos lavas 243
 -, Yakuno cumulates 159
 -, dolerite dykes, SW Greenland 310
 -, Yakuno ophiolites 157
 -, eruptives, Mt. Kenya 401
 -, feldspars, retrogressed pelites 62
 -, garnets, English River 78
 -, Oaxacan Complex 221
 -, skarn deposits 389
 -, glass, Baffin lavas 149
 -, lavas, Eifel 333
 -, liquids, residual, glass inclusion crystallization 197
 -, melts 264
 -, micas, retrogressed pelites 62
 -, muscovite, Moy Complex 301
 -, olivines, glass crystallization 197
 -, groundmass, Baffin lavas 152
 -, Mt. Kenya suite 398
 -, phenocrysts, Baffin lavas 151
 -, Troodos lavas 242
 -, orthopyroxenes, English River 77
 -, Yakuno cumulates 159
 -, phengites, Sesia zone 53
 -, pillow lavas, Troodos 246
 -, pillow margins, Baffin lavas 146
 -, plagioclase 2
 -, coex. with alkali feldspar 218
 -, English River 77
 -, glass crystallization 198, 202
 -, pseudotachylites 47
 -, pyroxenes, glass crystallization 199
 -, Mt. Kenya suite 397
 -, rhodonites, skarns 387
 -, spilites, Erquy 84
 -, spinels, Mt. Kenya suite 399
 -, Troodos lavas 244
- , Yakuno cumulates 159
 -, teschenite, Rodrigues 93
 -, tremolite 257
 -, vesuvianites, Big Maria Mts. 206
 chemical differences, porphyry copper deposit minerals 317 ff.
 chemical zonation, metamorphic minerals 30 f.
 chlorite, porphyry copper deposits, Cu contents 319 f.
 -, retrograde metamorphism 63
 -, spilites 81
 clinopyroxene 125, 216
 -, crystallization from glass inclusions 199
 -, Eifel lavas 331 f.
 -, Rodrigues basalts 90 f.
 -, skarns 380 ff.
 -, Troodos lavas 243
 Co, diffusion in melts 267
 contact metamorphism, Moy Complex 299 f.
 -, reactions 303
 cordierite - granulites, hydration energetics 370 ff.
 cordierite hydration energetics 370 ff.
 corundum, thermodynamic data 277
 -, zoisite breakdown 111
 crystal fractionation, basalts 144 f.
 crystal growth, experimental, glass inclusions in bytownite 193 ff.
 Cs, diffusion in melts 267
 Cu contents, porphyry copper minerals 319 ff.
 cumulates, ophiolites 156 f.
 -, Yakuno ophiolites, crystallization sequence 161
- Decrepitation temperature, glass inclusions in bytownite 193 f.
 dehydration kinetics, zoisite 110 ff.
 differentiation, Eifel lavas 339 f.
 diffusion, garnets 35
 -, metamorphism 110 f.
 -, metasomatism 59 f.
 -, plagioclase 1 f.
 -, silicate melts, structural controls 263 ff.
 diopside 185, 207, 243
 -, addition to melts 20
 -, Ca-environment, EXAFS-spectroscopy 103 f.
 -, tremolite association 252 f.
 disequilibrium, zoisite dehydration 110 f.
 disequilibrium crystallization, plagioclase 196, 202
 dissolution kinetics, plagioclase 1 ff.
 dissolution structure, zoisite dehydration 115
 dissolution textures, plagioclases 4 ff.
 distribution functions, CaO in glass 105 f.
 dolerite, Erquy 82
 -, ophiolites 156
 dolerite dykes, SW Greenland, geochronology 307 ff.

- dolomite 24
dunite 156
dyke formation, Greenland dolerites 314
dykes, Erquy spilites 81 f.
-, Greenland 307 ff.
- Element correlations, basalts** 130
enstatite, tremolite association 256 f.
epidote, porphyry copper deposits, Cu contents 319 f.
-, spilites 81
equilibrium, retrograde phases 63
equilibrium curves, NaCl-H₂O-CO₂ 25
equilibrium models, marbles 28
eruptive centers, W-Eifel 331
etch structure, zoisite dehydration 114 f.
Eu, diffusion in melts 266 f.
EXAFS-spectroscopy, glass 103 f.
exsolution, perthites 217
- Fayalite, phonolites** 395
feldspars, geothermometry, granulites 215 f.
-, Mt. Kenya suite 396 f.
-, retrograde metamorphism 61
Fe₂O₃ activities, Pine Creek skarns 364
Fe²⁺ oxidation, lava eruption 127
flow patterns, melts 21
fluid inclusions, metamorphic carbonates 25 f.
fluid movement, metamorphism 59 f.
fluorite, skarns 382
foiidite groups, W-Eifel lavas 331 f.
forsterite, thermodynamic data 277
-, tremolite association 256 f.
fractional crystallization, Criffell pluton 232 f.
fractionation, Mt. Kenya suite 406
-, trace elements, Rodrigues basalts 96
- Garnet, Pine Creek skarns, composition** 366
garnet barometry, Oaxacan Complex 220
garnet crystalline solution, peridotite 279 f.
garnet diffusion 35
garnet-orthopyroxene geobarometry 69 f.
garnet zoning, Barrovian type metamorphism 30 ff.
gehlenite, zoisite dehydration 110 f.
geobarometers, accuracy 76
-, application 73 f.
geobarometry, Angus metamorphic rocks 34
-, garnet-orthopyroxene - plagioclase - quartz 69 ff.
geochronology, Erquy spilites 82 ff.
geothermometry, Angus metamorphic rocks 33
-, ternary feldspars, granulites 215 ff.
glass, andesite/dacite melting 19
-, dissolution kinetics 2 f.
-, EXAFS-spectroscopy and CaO-distribution 103 f.
glass inclusions, bytownite, experim. crystal growth 193 ff.
gneiss, phengite polymorphism 52 f.
granite, Criffell 227 f.
-, Moy Complex 297 f.
- granodiorite 227 f.
-, Moy Complex 297 f.
granules, pseudotachylite veins 42
granulites, cordierite hydration 370 f.
-, geobarometry 69 f.
-, ternary feldspar thermometry 215 f.
grossular 207
-, granulite barometry 69 f.
-, zoisite dehydration 110 f.
- Halite, inclusion in metamorphic rocks** 24 f.
harzburgite 159 f.
heat capacities, minerals 168 ff.
heat capacity data, minerals 170 f.
heat capacity equations 168
hedenbergite, Pine Creek skarns 360 f.
H isotopic composition, Ahaggar ignimbrites 288
H₂O, cordierites 370 f.
hornblende 216, 243
-, dolerite dykes 309
hornblende-fels, Simplon area 185 f.
hydration, cordierites 370 ff.
hypersthene 125
- Ignimbrites, Ahaggar 287 f.
illite, Erquy spilites 83
illite crystallinity, spilites 84
ilmenite 125, 216
-, porphyry copper deposits, Cu contents 319 f.
incompatible elements, dolerite dykes 310 f.
-, mantle peridotite, Hessian Depression 136
infiltration metasomatism 59 f.
intergrowths, phengite polymorphs 56 f.
isotope geochemistry, dolerite dykes 312
isotopic zoning, ignimbritic quartz 289
- Jadeite, phase relations** 354 f.
-, Sesia zone gneiss 52
johannsenite, skarns 387
- Kenites, Mt. Kenya** 395 f.
keratophyres, Erquy 81 f.
K-feldspars, ignimbrites, O isotopic composition 288
kinetics, zoisite dehydration 110 ff.
kyanite, staurolite replacement 36
kyanite relics, retrograde metamorphism 60
- Lavas, Baffin-Bay** 144 ff.
-, potassic, Eifel 330 ff.
-, Rodrigues, geochemistry 90 ff.
leucite, Eifel 331
lherzolite 156
limburgite 124 f.
liquid/crystal partition coeff., trace elements in basalts 95
liquids, residual, glass crystallization 200
- Maars, Eifel** 331
magma contamination, Criffell pluton 229, 235
magma differentiation, Eifel 339 f.
magma mixing 1
- , model 17 f.
magmas, element diffusion 263 ff.
-, primary 144 ff.
magma source, Rodrigues basalts 99
magnetite 216
-, Mt. Kenya suite 397
-, porphyry copper deposits, Cu contents 319 f., 326
Magnus effect, clast distribution in veins 41
mangerite 218
mantled plagioclase, experimental 9 f.
mantle heterogeneity, Eifel 341
mantle magmas, primary 129
mantle metasomatism 137 f.
mantle peridotite, Hessian Depression, incompatible elements 136
marble, Campolungo, fluid inclusions 25
-, skarns 380
margarite, retrograde metamorphism 63
mass balance, skarns 367
mellilite 125
melt inclusions, bytownite 193 f.
melting, system diopside - albite - anorthite 1 ff.
melts, compositions 264
meta-anorthosite, textures 39 ff.
metamorphism, Moy Complex 298 f.
-, Simplon area 185 f.
-, Yakuno ophiolite 156
metasomatism 59 f.
MgO activities, Pine Creek skarns 362 f.
Mg-vesuvianite, stoichiometry 211 f.
micas, retrograde metamorphism 61
mica structure 52
microstructures, pseudotachylites 41 f.
mixing process, basaltic/dacitic magma, model 22
Mn-pyroxenes, skarn deposits 379 ff.
Mount Kenya suite, geochemistry 394 ff.
-, magma source 407
muscovite 298, 302 f.
-, retrograde metamorphism 61
- Nepheline** 125
-, phonolites 395
nepheline basanite 124 ff.
-, origin 134 f.
nepheline syenite, Mt. Kenya suite 395 f.
nephelinite, Eifel 331
network modifier, melts 267
- Obsidian, melt composition** 264
O isotopic composition, Ahaggar ignimbrites 288
olivine 125
-, crystallization from glass inclusions 197 f.
-, dolerite dykes 308 f.
-, Eifel lavas 331 f.
-, Mt. Kenya suite 397
-, Rodrigues basalts 90 f.
-, Troodos lavas 241 f.
-, Yakuno ophiolites 158 f.
olivine basalt, Rodrigues 90 ff.
olivine - liquid partition coeff., Hessian basalts 126
olivine nephelinite 124 ff.
-, Eifel 331
-, origin 134 f.

- olivine phenocrysts, picrites 145 f.
ophiolites 155 ff.
-, Troodos, lava petrology 239 ff.
orthoenstatite, thermodynamic data 277
orthopyroxene 125, 216
-, dolerite dykes 309
-, molar volume 275
-, Troodos lavas 243
orthopyroxene crystalline solution,
peridotites 279 f.
- Pantellerite, melt composition 264
paragonite, muscovite coexistence 60
partial dissolution, plagioclase 1 ff.
partial melting, basalt petrogenesis
131 f.
-, Eifel lavas 340
Pb-isotope geochemistry, dolerite dykes
312 f.
peridotites, phase relations 273 ff.
-, Yakuno ophiolites 159 f.
perovskite 125
perthite 216
phase relations, peridotite,
thermodynamic calculations 273 ff.
-, system $\text{Na}_2\text{O}-\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ 353 f.
phengites, polymorphism 52 f.
phenocrysts, Eifel lavas 332 f.
-, Yakuno basalts 163
phlogopite, Eifel lavas 331 f.
phonolite, Eifel 331
-, geochemistry, Mt. Kenya 394 ff.
picrites, Baffin Bay 144 ff.
pigeonite 125
pillow lavas, Troodos 240 ff.
pillow margins, Baffin lavas 145 f.
pitchstone, melt composition 264
plagioclase 125, 216, 243
-, crystallization from glass inclusions
196 f.
-, dissolution kinetics 1 ff.
-, dolerite dykes 308 f.
-, Mt. Kenya trachytes 396
-, pseudotachylite 40 f.
-, pyroxene coex., equilibrium
compositions 346 ff.
-, Rodrigues basalts 90 f.
-, Troodos lavas 240 f.
plagioclase/melt reactions 9 f.
polymorphism, phengites, compositional
control 52 ff.
pore fluid composition, influence on
mineral stability fields 65
porphyry copper deposits, geochemistry
317 ff.
pseudomorphs, retrograde minerals 60
pseudotachylite melt, rapid crystallization
textures 39 ff.
pyrolite 153
pyrope, granulite barometry 69 f.
-, thermodynamic data 277
pyroxenes, equilibrium composition,
system $\text{Na}_2\text{O}-\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$
346 ff.
pyroxene skarn mineralogy 379 ff.
- Quartz 216, 298
-, ignimbrites, O isotopic composition 288
quartz tholeiite 124 ff.
-, origin 133
- Rare earth elements, amphibolites 187
-, Criffell pluton 228
-, Mt. Kenya suite 402
-, Troodos lavas 248
Rb-Sr isotope geochemistry, dolerite
dykes 312 f.
reactions, retrograde metapelites 63
residual peridotites, chemical variation
161
restitute, Criffell pluton 234
retrogression, staurolite schists 59 ff.
rhodonite, skarns 380
rho-ignimbrites, Ahaggar 285 ff.
rhyolites 288
- Scheelite, Pine Creek skarns 360 f.
scoria cones, Eifel 331
shimmer aggregates, retrograde
metamorphism 59
sillimanite 374
skarn deposits, Mn-pyroxenes 379 ff.
skarns, Pine Creek, activity variations
358 ff.
smectites, Troodos lavas 240 f.
Sm-Nd isotope systematics, Simplan
amphibolites 189 f.
sodalite 125
solid inclusions, marble 25 f.
solid solution, vesuvianites 209 f.
specific heat, peridotite phases 276 f.
spherulitic texture, pseudotachylite
veins 43
spilites, geochronology 81 ff.
spinel 243
-, thermodynamic data 277
spinel crystalline solution, peridotites
279
spinel-peridotite geothermometry 282
Sr, diffusion in melts 267
stacking, mica structures 52
staurolite, zoning 30
staurolite schists, retrograde
metamorphism 59 ff.
stoichiometry, vesuvianites 211 f.
stress field, Rhine Graben 124
subduction, Sesia zone 53
subsolidus phase relations, system
 $\text{Na}_2\text{O}-\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ 346 ff.
subsolidus processes, kinetics 110 f.
substitutions, vesuvianites 210 f.
syenite 395
sylvite, inclusion in metamorphic rocks
24 f.
system, $\text{CaO}-\text{MgO}-\text{SiO}_2-\text{H}_2\text{O}$,
tremolite parageneses 256 f.
-, diopside - albite - anorthite,
plagioclase dissolution 1 ff.
-, $\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$, phase relations
273 ff.
-, $\text{NaCl}-\text{H}_2\text{O}-\text{CO}_2$, metamorphism 24 f.
-, $\text{Na}_2\text{O}-\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$, phase
relations 346 ff.
-, $\text{Na}_2\text{O}-\text{K}_2\text{O}-\text{CaO}-\text{MgO}-\text{FeO}-$
 $\text{Fe}_2\text{O}_3-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{TiO}_2-\text{H}_2\text{O}-\text{CO}_2$,
heat capacities 168 ff.
- Talc 25
tephra, scoria cones 331
tephrites, Eifel 331
ternary feldspars, thermometry 215 ff.
teschenite, Rodrigues 90 f.
texture, experim. plagioclase dissolution
2 f.
-, rapid pseudotachylite melt
crystallization 39 ff.
-, retrograde metamorphism 60
-, Troodos lavas 241
thermodynamic calculations, peridotite
phase relations 275 f.
thermodynamic data, coex. plagioclases/
pyroxenes 350 f.
-, granulite barometry 70 f.
-, skarn minerals 360
-, tremolite 260
thermodynamic mole fraction,
vesuvianite 212
tholeiite, melt composition 264
tholeiite localities, Hessian Depression
124
titanomagnetite 125
trace elements, basalts, Hessian
Depression 127
-, dolerite dykes 310 f.
-, Eifel lavas 333 f.
-, Erquy spilites 84
-, Mt. Kenya suite 401
-, Rodrigues basalts 93
-, Troodos lavas 245 f.
tracer diffusion, melts 264 ff.
trachyte geochemistry, Mt. Kenya 394 ff.
tremolite 24
-, equilibrium associations 256 ff.
tuff rings, Eifel 331
tungsten skarns, Pine Creek, activity
variations 358 ff.
- Upper mantle and crust, Hessian
Depression, profile 139
- Variation diagrams, Eifel lavas 336
veins, pseudotachylite 39 f.
vesuvianite, solid solution 205 ff.
volatiles, carbonate metamorphism 24 f.
- Wall effect, clast distribution in veins
41
water barometry, cordierite-granulites
374 f.
websterite 156
wehrlite 156
 WO_3 activities, skarns 364 f.
wollastonite, Pine Creek skarns 360 f.
-, vesuvianite association 207
- Xenoliths, Hessian basalts 125 f.
-, Rodrigues basalts 91 f.
- Zeolites, Troodos lavas 240 f.
zoisite, dehydration kinetics 110 ff.
zoning, Barrovian type metamorphism
30 f.
-, Criffell pluton 226 ff.
zoning profiles, garnets 31
-, staurolites 33

